

EZ-1®

Electronic timer controlled condensate drain

The EZ-1® removes condensate from compressed air systems using a solenoid valve in combination with an electronic timer.

The EZ-1 condensate drain is a combination of a solenoid valve and an electronic timer designed to automatically remove condensate from compressed air systems.

The EZ-1 is designed to remove condensate from compressors, compressed air dryers and receivers up to maximum 16 bar applications.

The EZ-1 offers true installation simplicity at the lowest possible cost.

The EZ-1 is a mass produced product available in various valve connection sizes and timer colour options.



COMMERCIAL BENEFITS

- Does not air-lock during operation.
- Any type of compressed air systems up to 16 bar.
- Competitive procing levels available.
- TEST (micro-switch) feature.
- Private labelling and colour options are possible.

TECHNICAL ADVANTAGES

- Accurate time cycles
- Large (4.0 mm) valve orifice.
- Quick servicing advantage.






EZ-1®

Electronic timer controlled condensate drain

DIMENSIONS MM





TIMER

Interval time Discharge time Supply voltage options Current consumption Operating temperature Environmental protection Housing material Connection Indicators

0.5 - 45 minutes, adjustable 0.5 - 10 seconds, adjustable 24 - 240 VAC/DC, 50/60 Hz 4mA maximum -40° C to +55° C

IP 65, NEMA 4 when installed ABS plastic FR grade 43650A ISO 4400

1 LED (yellow) indicating ON 1 LED (yellow) indicating OFF



Type In/out ports Pressure range Temperature range. Medium temp. Valve body

Supply voltage options Coil Insulation Grade **Environmental Protection**

Valve seal

See coil for correct voltage

2/2 way direct acting

1/4", 3/8" & 1/2" BSP or NPT

o - 16 bar g

2° C/55° C ambient

Max. 55° C

Brass, orifice 4.0 mm

24 - 240 VAC/DC, 50/60 Hz (100% ED)

H-grade IP 65 FPM

Voltage tolerance +/- 10%





JORC IS ISO 9001:2000 CERTIFIED

Information provided herewith is believed to be accurate and reliable. However, no responsibility is assumed for its use or for any infringement of patents or rights of others, which may result from its use. In addition, JORC reserves the right to revise information without notice and without incurring any obligation.

JORC Industrial BV

Pretoriastraat 28

NL-6413 NN Heerlen The Netherlands

Tel +31 45 524 24 27

E-mail info@jorc.nl http:// www.jorc.eu